

Best Available Copy

Law Offices of Robert J. Eichelburg

Law Offices of Robert J. Eichelburg
HODAFEL Building, Suite 200
Annapolis, Maryland 21403

**RECEIVED
CENTRAL FAX CENTER**

AUG 03 2005

confidential
fax

To: Hon. Commissioner of Patents and Trademarks
Fax Number: 1016868 1 703 872-9306

From: Robert J. Eichelburg
Fax Number: 410 295 0457
Business Phone: 410 295 1508
Home Phone: 410 295 1509

Pages: 26
Date/Time: 8/3/2005 12:59:38 PM
Subject: Serial No. 09/357,957; Atty Docket 1064.0011-04

Sir:

Please acknowledge receipt by return facsimile of applicant's August 3, 2005 amendment (25 pp.) in response to the examiner's June 2, 2005 Office communication.

Robert J. Eichelburg
Reg. No. 23,057

**RECEIVED
OIPE/IAP**

AUG 04 2005

3
RECEIVED
CENTRAL FAX CENTER
AUG 03 2005

PATENT
Customer No. 34,986
Attorney Docket No. 01064.0011-04-000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Richard LEVY) Group Art Unit: 1714
)
Serial No.: 09/357,957) Examiner: Cephia D. Toomer
)
Filed: July 21, 1999)
)
For: LUBRICANT COMPOSITIONS AND)
METHODS)

Commissioner for Patents
P. O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

AMENDMENT PURSUANT TO 37 C.F.R. §1.111

Applicant responds to the June 2, 2005 Rejection as follows:

Amendments to the Written Description begin on page 2 of this paper.

Amendments to the claims, which the Listing of Claims reflect, begin on page 3 of this paper.

Remarks/Arguments begin on page 16 of this paper.

Applicant files an Information Disclosure and PTO Form 2038 for payment of the 37 C.F.R. § 1.17 (p) Information Disclosure fee of \$180.00 with this amendment.

Application Serial No.: 09/357,957
Amendment dated August 3, 2005
Response to June 2, 2005 Office Action

Amendments to the Written Description:

Please add the following new paragraph before the last paragraph on page 20 of the written description:

The composition, process of producing a product, and product produced thereby of the invention employ inter alia a solid inorganic lubricant as the material for decreasing friction.